



EU-TYPE EXAMINATION CERTIFICATE

The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.



Certificate N° 0075/3122/162/03/19/0772

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer : GUMMI ROLLER S.a.r.l.
ZARE EST NO 6, 4385 EHLERANGE
LUXEMBOURG

Description

PPE Type : *protective glove against mechanical risks*

Product reference : 8041505

Article code : /

Glove description : Natural cow split leather glove

Available sizes : 8 9 10 11

Pictures :



roller

8041505

T10

EN388



3143X



08 2018

GUMMI-ROLLER S.a.r.l.

Zare est n°6,L-4385

Ehlerange

Luxembourg

www.roller-tech.eu

Reference standard :

Levels of performance / class of protection

EN 420:2003+A1:2009

-

EN 388:2016

3 1 4 3 X

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file and the Instruction for Use index 01 dated from MARCH 2019

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425.

Issued in Lyon by
Maxence DREVET
Project Certification Manager

Date of first issue : 08 March 2019

End of validity date : 08 March 2024



Original CTC



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.

www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

GUMMI ROLLER S.a.r.l.

MANUFACTURER'S TECHNICAL FILE TO THE PPE REGULATION 2016/425

Reference of the product	:	8041505
Article code	:	/
Technical file index	:	01
Last update	:	MARCH 2019

IDENTIFICATION

Reference of the product :	:	8041505
Article code :	:	/
Basic Model		
Technical file index :	:	01
Last update :	:	MARCH 2019

Manufacturer :

GUMMI ROLLER S.a.r.l.
ZARE EST NO 6, 4385 EHLERANGE
LUXEMBOURG
tel : 352 48 15 451
fax : 352 40 03 09

Factory :

SUNPEARL SAFETY LTD
Dalang Industrial Park XiaoXiang Town Gaoyao district – 526123 Zhaoqing city
Guangdong province
CHINA
tel: 00 86 758 8290888
fax: 00 86 758 8290008

GLOVE DESCRIPTION

General glove description :

Natural cow split leather glove
type of coating finish : no coating

Visual description (picture back and palm sides) :



Field of use

Maintenance for machine , Construction

Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)			
		Applicable	Covered by
§1	Requirements defined in the Annex II §1 are applicable to all PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§1.4	Manufacturer's instructions and information is available	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.5	PPE which may be caught up during use	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§3.3	The PPE is intended to protect against mechanical injuries	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking

Available sizes :

Minimum length of glove (mm)	Sizes
240	8
250	9
260	10
270	11

Glove constitution :

	Reference	Color	Material	Surfacic mass	Gauges	Thickness
Palm	CSB12	NATURAL	COW SPLIT LEATHER			1.2 - 1.4 MM
	CSNBG12	GREY	PALM REINFORCEMENT - COW SPLIT LEATHER			1.2 - 1.4 MM
Back	903101	NATURAL	TEXTILE-COTTON + POLYESTER	285 G/M²	10G	
	CSB12	NATURAL	COW SPLIT LEATHER FINGERTIPS AND KNUCKLES			1.2 - 1.4 MM
Lining	901602	NATURAL	COTTON+POLYESTER	298 G/M²	16G	
Cuff	903104	NATURAL	TEXTILE-COTTON+POLYESTER+BATTER	390 G/M²	10G	
	900502	NATURAL	ELASTIC-COTTON			
Binding	907102	RED	POLYESTER			

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protective Equipment Regulation 2016/425.
This glove is designed for against mechanical risks.
It is a category II product.

GENERAL REQUIREMENTS

Standard EN 420 : 2003 + A1 : 2009

Dexterity : 5

Size : conform

At the date of certificate the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

Mechanical hazard EN 388 : 2016

Protection offered	Performance levels
Abrasion resistance	3
Blade cut resistance	1
Tear strength resistance	4
Puncture resistance	3
Cut Resistance method (EN ISO 13997)	X
Impact Protection	-

The levels of performance have been measured on the palm

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

TEST REPORTS

Laboratory	CTC	Other
EN 420 + innocuousness	D180815044_1 D180814940_1 D180814890_1	
EN 388	D180815044_1	

MARKING - PACKAGING

Information printed on the glove :

Logo of Manufacturer :

Logo 

Glove's reference : 8041505

Article Code : /

Size indicator


Pictograms related to risks against which protection is offered with performance levels

Information pictogram

Address of Manufacturer :

Date of Manufacture (month/year) and/or Serial number :

Marking example :



GUMMI-ROLLER S.a.r.l.
Zare est n°6,L-4385
Ehlerange
Luxembourg
www.roller-tech.eu

Method of marking on the glove :

Both print and label

Packaging :

10 pairs / clear polybag, 100 pairs / carton

PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean , ventilated, light).

Declaration of conformity :

Available on : <http://www.roller-tech.eu>

MEANS OF CONTROL	
1	1.1
2	2.1
3	3.1
4	4.1
5	5.1
6	6.1
7	7.1
8	8.1
9	9.1
10	10.1
11	11.1
12	12.1
13	13.1
14	14.1
15	15.1
16	16.1
17	17.1
18	18.1
19	19.1
20	20.1
21	21.1
22	22.1
23	23.1
24	24.1
25	25.1
26	26.1
27	27.1
28	28.1
29	29.1
30	30.1
31	31.1
32	32.1
33	33.1
34	34.1
35	35.1
36	36.1
37	37.1
38	38.1
39	39.1
40	40.1
41	41.1
42	42.1
43	43.1
44	44.1
45	45.1
46	46.1
47	47.1
48	48.1
49	49.1
50	50.1
51	51.1
52	52.1
53	53.1
54	54.1
55	55.1
56	56.1
57	57.1
58	58.1
59	59.1
60	60.1
61	61.1
62	62.1
63	63.1
64	64.1
65	65.1
66	66.1
67	67.1
68	68.1
69	69.1
70	70.1
71	71.1
72	72.1
73	73.1
74	74.1
75	75.1
76	76.1
77	77.1
78	78.1
79	79.1
80	80.1
81	81.1
82	82.1
83	83.1
84	84.1
85	85.1
86	86.1
87	87.1
88	88.1
89	89.1
90	90.1
91	91.1
92	92.1
93	93.1
94	94.1
95	95.1
96	96.1
97	97.1
98	98.1
99	99.1
100	100.1

When do bulk the production each batch, we shall pick up some gloves from producing site randomly to test abrasion resistance, Cr VI or AZO DYE.... to control the quality to match the requirment of standard EN388, EN420 .



Page 1 / 2

肇庆市笋科皮手套厂有限公司

91441200744451621M

for the following activities:
pour les activités suivantes :

皮革的设计和制造; 手套和个人防护用品的设计制造和销售
(如夹克、帽子、围裙、护腿、护臂和皮裤)

has been assessed and found to meet the requirements of:
a été évalué et jugé conforme aux exigences requises par :

and is developed on the following locations:
et est déployé sur les sites suivants :

DALANG INDUSTRIAL PARK, XIAOXIANG TOWN, GAOYAO DISTRICT, ZHAOQING CITY, GUANGDONG, CHINA
中国广东省肇庆市高要区小湘镇大朗工业园


List of certified locations on appendix(ces) / Liste des sites certifiés en annexe(s)

This certificate is valid from (year/month/day)
Ce certificat est valable à compter du (année/mois/jour)

2018-09-12

Until
Jusufau

2021-08-07



Ce document est signé électroniquement. Il constitue un original électronique à valeur probatoire.
The document is electronically signed. It stands for an electronic record with evidentiary value.

Franck LEBEUGLE
Managing Director of AFNOR Certification
Directeur Général d'AFNOR Certification



Scan this QR code to
check the validity of the
certificate.

[illegible]

INSTRUCTION FOR USE

GUMMI ROLLER S.a.r.l.

ZARE EST NO 6, 4385 EHLERANGE
LUXEMBOURG

Glove reference : 8041505

Article code: /

User notice index : 01

Last update : MARCH 2019

Available sizes : 8 9 10 11


GUMMI-ROLLER S.a.r.l.

Zare est n°6, L-4385

Ehlerange

Luxembourg

www.roller-tech.eu



Glove description :

Natural cow split leather glove

THIS GLOVE IS A PERSONAL PROTECTIVE EQUIPMENT BELONGING TO THE CATEGORY II.

It meets the requirements of the PPE Regulation 2016/425 applicable from April 21th, 2018 : innocuousness, comfort, solidity.

It has been subject to a UE-type Examination performed by :

C.T.C. (OO75)
4, rue Hermann Frenkel
69367 LYON Cedex 07
FRANCE

Applicable standards :

The glove meets the requirements of the standard EN 420 : 2003 + A1 : 2009 « General requirements for work glove ». Dexterity : 5

Moreover, this glove has been designed for the following applications :

Application :

Mechanical hazard - EN 388 : 2016



3 1 4 3 X
Levels of performance

Abrasion resistance	3	(on 4 maxi)
Blade cut resistance	1	(on 5 maxi)
Tear resistance	4	(on 4 maxi)
Puncture resistance	3	(on 4 maxi)
Cut Resistance method (EN ISO 13997)	X	(A to F)
Impact Protection		

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

Protection limit :

Users should be warned that gloves should not be worn when there is a risk of entanglement by moving parts of machines.

This model does not contain any substances at levels that are known to, or suspected to, adversely affect user hygiene or health.

The protection against risks or hazards which are not mentioned in this document is not warranted.

The levels of performance mentioned are only valid for the palm of the glove.

The levels of performance mentioned are only valid for new gloves, not washed, nor regenerated.

These levels of performance are obtained from the tests done according to conditions defined by the applicable standards.

This glove shall not be in contact with fire

Before use, the glove shall be visually controlled, in case of deterioration the gloves must be scrapped (abrasion, cut, tear, ...).

For gloves with different layers of material, the performance levels are warranted only for the whole glove.

For gloves with two or more layers the overall classification does not necessarily reflect the performance of the outermost layer.

Storage and cleaning notice

Keep in its original packaging, under ordinary temperature and humidity conditions and in clean, covered and ventilated premises.

PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean , ventilated, light).

Declaration of conformity :

Available on : <http://www.roller-tech.eu>